

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	383	713/169.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:48
L4	9	L3 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48
L5	703	713/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:48
L6	7	L5 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48
L7	22	(JALBERT near CHRISTOPHER) (WALLACE near LELAND) (O'ROURKE near DAVID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48
L8	101	mutually with authenticat\$4 with key with exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48
L9	2	L8 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48
L10	124	session near key\$2 same (hash\$3 digest) with public near key\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48
L11	2	L10 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48

## EAST Search History

L12	11	superencrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:48
L13	0	L12 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L14	20	encrypt\$3 with two near session near key\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L15	0	L14 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L16	179	nonce\$2 with (compar\$3 modification modif\$3) and public	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L17	2	L16 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L18	51	encrypt\$3 near3 (nonce number) with public adj key\$2 with session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L19	0	L18 and @ad<"20010730" and @pd>"20061113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L20	25	generat\$4 with secret same hash\$4 with public with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L21	126	hash\$4 with public near key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49

## EAST Search History

L22	0	SNAKE with key with exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L23	6	hash\$4 with first with second with public near key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L24	1	hash\$4 with first near public near key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:49
L25	4	hash\$4 with public near keys with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:49
L26	95	hash\$4 with (host server) with client with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:49
L27	73	L21 and exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:49
L28	48	L26 same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:49
L29	0	hash\$4 with second near public near key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/21 10:49
L30	1	("5995625").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/21 10:49
L31	21	key near exchang\$4 and client with public adj key same (server host) with public adj key same hash\$4 same (password secret)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49

## EAST Search History

L32	48	key near exchange\$4 and client with public adj key same (server host) with public adj key same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L33	20	L32 and @ad<"20010730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L34	3	password with key near exchange\$4 and client with public adj key same (server host) with public adj key same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49
L35	0	password with key near exchange\$4 same client with public adj key same (server host) with public adj key same hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 10:49